

SAFETY DATA SHEET R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name R410A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Refrigerant.

1.3. Details of the supplier of the safety data sheet

Supplier Pront Soğutma Dış Ticaret LTD. ŞTİ.

Acarlar Mahallesi 3. Cadde 15. Sokak No:29 T13/1

Beykoz, Istanbul - Turkey

1.4. Emergency telephone number

Emergency telephone +90 216 759 2396

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Press. Gas (Liq.) - H280

Health hazards Not Classified
Environmental hazards Not Classified

Additional information Classification (Regulation (EC) No. 1272/2008).

2.2. Label elements



Signal word Warning

Hazard statements H280 Contains gas under pressure; may explode if heated.

Precautionary statements P410+P403 Protect from sunlight. Store in a well-ventilated place.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Pentafluoroethane 40-60%

CAS number: 354-33-6 EC number: 206-557-8

Classification

Press. Gas (Liq.) - H280



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

Difluoromethane 40-60%

CAS number: 75-10-5 EC number: 200-839-4

Classification

Flam. Gas 1A - H220 Press. Gas (Liq.) - H280

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

Inhalation Remove affected person from source of contamination. Move affected person to fresh air and keep warm

and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure

breathing can take place.

Ingestion Rinse mouth thoroughly with water. Remove any dentures. Stop if the affected person feels sick as

vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.

Skin contact Rinse with water. Remove contaminated clothing. Caution: Clothing may adhere to the skin in case of

freeze burns. Thaw frosted parts with lukewarm water. Do not rub affected area. Get medical attention if

symptoms are severe or persist after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart.

Continue to rinse for at least 10 minutes.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information See Section 11 for additional information on health hazards. The severity of the symptoms described will

vary dependent on the concentration and the length of exposure.

Inhalation May cause respiratory irritation.

Ingestion Due to the physical nature of this product, it is unlikely that ingestion will occur.

Skin contact No specific symptoms known.

Eye contact No specific symptoms known. May be slightly irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion products Hydrogen fluoride (HF).

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination

and disposal are in place. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions

Personal precautions

Exposure to aquatic environment unlikely. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Approach the spillage from upwind. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Vapours are heavier than air and may travel along the floor and accumulate in the bottom of containers. Provide adequate ventilation.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). Store in accordance with local regulations.

Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight,

jointless and not absorbent. Keep at temperature not exceeding 45°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 4240 mg/m³

Pentafluoroethane

Long-term exposure limit (8-hour TWA): WEL 2000 ppm

Difluoromethane

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 2200 mg/m³

WEL = Workplace Exposure Limit.

DNEL Consumer - Inhalation; Long term systemic effects: 2476 mg/m³

Workers - Inhalation; Long term systemic effects: 13936 mg/m³

Pentafluoroethane (CAS: 354-33-6)

DNEL Workers - Inhalation; systemic effects: 16 444 mg/m³

Consumer - Inhalation; systemic effects: 1753 mg/m³

PNEC - Fresh water; 0,1 mg/l

Water, Intermittent release; 1 mg/lSediment (Freshwater); 0,6 mg/l

Difluoromethane (CAS: 75-10-5)

DNEL Workers - Inhalation; Long term systemic effects: 7035 mg/m³

Consumer - Inhalation; Long term systemic effects: 750 mg/m³

PNEC Fresh water; 0,142 mg/l

Sediment (Freshwater); 0,534 mg/kg

8.2. Exposure controls

Protective equipment









R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment that provides appropriate eye and face protection should be worn. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection

Wear leather gloves to prevent frostbite injuries from rapidly expanding gas when handling pressurized as bottles.

Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges suitable for intended use should be used. Half mask and quarter mask respirators with replaceable filter cartridges suitable for intended use should be used.

Environmental exposure controls

Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquefied gas

Colour Clear. Colourless.

Odour Slightly ethereal.

Odour threshold Not available.

pH Not available.

Melting point Not available.

Initial boiling point and range -51.8 - -51.9°C

Flash point Not available.

Evaporation rate Not available.

Evaporation factor No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or

Not available.

explosive limits

Vapour pressure 10880 mm Hg @ 20°C



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

Vapour density 2.6 (Air = 1.0)Relative density Not available.

1,09 g/cm3 20 °C Density

Bulk density No information available.

Solubility(ies) Insoluble in water.

Partition coefficient log Pow: 1,48 @ 25°C (CAS No: 354-33-6)

log Pow: 0.21 @ 25°C (CAS No: 75-10-5)

Auto-ignition temperature Not available. Not available. **Decomposition Temperature** Viscosity Not available.

Explosive properties No information available. Oxidising properties No information available.

9.2. Other information

Volatile Organic compounds -

Not available.

VOCs

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See the other subsections of this section for further details.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed

storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Can react violently if in contact with alkali metals and alkaline earth metals- sodium, potassium, barium.

10.4. Conditions to avoid

Conditions to avoid Incompatible materials. Keep away from heat, sparks and open flame.

10.5. Incompatible materials

Materials to avoid Finely divided magnesium Magnesium and alloys ontaining 2% magnesium.

10.6. Hazardous decomposition products

Hazardous decomposition Does not decompose when used and stored as recommended. Thermal decomposition or combustion products

products may include the following substances: Hydrogen fluoride (HF).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

Acute toxicity - dermal

Notes (dermal LD50) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met. Pentafluoroethane (CAS: 354-33-6) LC50

2910 mg/m³, 4 hour, Rat Difluoromethane /CAS: 75-10-5) LC50 >520000 mg/m³, 4 hour, Rat

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Gas.

General information The severity of the symptoms described will vary dependent on the concentration and the length of

exposure.

Inhalation May cause respiratory irritation.

Ingestion Due to the physical nature of this product, it is unlikely that ingestion will occur.

Skin contact No specific symptoms known. Eye contact No specific symptoms known.

Route of exposure Inhalation Skin and/or eye contact

Target organs No specific target organs known.

11.2. Information on other hazards

Information on other hazards No information available.



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

Pentafluoroethane

Acute toxicity - inhalation

Notes (inhalation LC₅o) LC50 > 800000 ppm, Inhalation, Rat

Respiratory sensitisation

Respiratory sensitisation Cardiac Sensitization Threshold Species: Dogs

Note: No-observed-effect level: 75000 ppm Lowest observed effect level: 100 000 ppm

Germ cell mutagenicity

Genotoxicity - in vitroAmes test: Negative. Cell type: Human lymphocytes

Result: Negative

Method: Mutagenicity (in vitro mammalian cytogenetic test)

Test Method: Chromosome aberration test in vitro

Result: Negative

Cell type: Human lymphocytes

Result: Negative

Cell type: Chinese Hamster Ovary Cells

Result: Negative

Bacterial reverse mutation test, (OECD 471): Negative. In vitro mammalian cell gene mutation

test: Negative. Based on the test results of similar product. In vitro chromosal aberration test., (OECD 473): Negative.

Mammalian Erythrocyte Micronucleus Test, (OECD Guideline 474), Mouse: Negative.

Reproductive toxicity

Reproductive toxicity - fertility - NOAEL 50000 ppm, Inhalation, Rabbit Note: Did not show teratogenic effects in animal

experiments.

- NOAEL 50000 ppm, Inhalation, Rat Note: Did not show teratogenic effects in animal

experiments.

Rat Method of Application: Inhalation (OECD 422) Negative.

Reproductive toxicity - development

Maternal toxicity: - NOAEL: 50000 ppm, Inhalation, Rabbit Note: Did not show teratogenic

effects in animal experiments.

Maternal toxicity: - NOAEL: 50000 ppm, Inhalation, Rabbit Note: Did not show teratogenic

effects in animal experiments.

Repeated dose toxicity Species: Rat

Application Route: Inhalation Exposure time: (4 Weeks) NOEL: 50000 ppm Subchronic toxicity

Difluoromethane

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 > 520000 ppm, Inhalation, Rat

Respiratory sensitisation

Respiratory sensitisation Cardiac Sensitization Threshold Species: Dogs

Note: No-observed-effect level: >350000 ppm



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

Germ cell mutagenicity

Genotoxicity - in vitro Ames test: Negative.

Genotoxicity - in vivo Species: Mouse

Cell type: Bone marrow

Method: Mutagenicity (micronucleus test)

Result: Negative

Reproductive toxicity

Reproductive toxicity - fertility - NOAEL 50000 ppm, , Rat Note: Did not show teratogenic effects in animal experiments.

- NOEL 50000 ppm, , Rabbit Note: Did not show teratogenic effects in animal experiments.

Repeated dose toxicity Species: Rat

Application Route: Inhalation Exposure time: (90 d) NOEL: 50000 ppm Subchronic toxicity

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous

effects on the environment.

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met.

Ecological information on ingredients.

Pentafluoroethane

Acute aquatic toxicity

Acute toxicity - fish LC₈₀, 96 hour: >100 mg/l, Oncorhynchus mykiss (Rainbow trout)

Based on the test results of similar product.

Acute toxicity - aquatic

invertebrates

EC₈₀, 48 hour: >100 mg/l, Daphnia magna (Water flea)

Acute toxicity - aquatic plants ErC50, 72 hour: >100 mg/l, Pseudokirchneriella subcapitata

(OECD 201)

Based on the test results of similar product.

NOEC, 72 hour: >1 mg/l, Pseudokirchneriella subcapitata

(OECD 201)

Based on the test results of similar product.

12.2. Persistence and degradability

Ecological information on ingredients.

Pentafluoroethane

Persistence and degradability Not readily biodegradable. 5 % 28d (OECD 301D)

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

Partition coefficient log Pow: 1,48 @ 25°C (CAS No: 354-33-6)

log Pow: 0.21 @ 25°C (CAS No: 75-10-5)

Ecological information on ingredients.

Pentafluoroethane

Partition coefficient log Pow: 1.48 (OECD 107)

Difluoromethane

Partition coefficient log Pow: 0.714

12.4. Mobility in soil

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties

Endocrine disrupting properties

No information available.

12.7. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible.

SECTION 14: Transport information

14.1. UN number or ID number

UN No. (ADR/RID) 1078

UN No. (IMDG) 1078

UN No. (ICAO) 1078

UN No. (ADN) 1078



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

14.2. UN proper shipping name

Proper shipping name (ADR/RID) LIQUEFIED GAS, N.O.S. (Pentafloroetan, Diflorometan)

Proper shipping name (IMDG) LIQUEFIED GAS, N.O.S. (Pentafloroetan, Diflorometan)

Proper shipping name (ICAO) LIQUEFIED GAS, N.O.S. (Pentafloroetan, Diflorometan)

Proper shipping name (ADN) LIQUEFIED GAS, N.O.S. (Pentafloroetan, Diflorometan)

14.3. Transport hazard class(es)

ADR/RID class 22

ADR/RID classification code 2A

ADR/RID label 2.2

IMDG class 2.2

ICAO class/division 2.2

ADN class 2.2

Transport labels



14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

14.6. Special precautions for user

EmS F-C, S-V

ADR transport category 3

Hazard Identification Number

(ADR/RID)

20

Tunnel restriction code (C/E)

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk

Not applicable.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Health and Safety at Work etc. Act 1974 (as amended). National regulations

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI

2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.

Annex XIV)

Authorisations (SI 2020 No. 1577 No specific authorisations are known for this product.



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

Authorisations (Annex XIV Regulation 1907/2006)

No specific authorisations are known for this product.

Restrictions (SI 2020 No. 1577

Annex XVII)

No specific restrictions on use are known for this product.

Restrictions (Annex XVII Regulation 1907/2006)

No specific restrictions on use are known for this product.

Seveso Directive - Control of major accident hazards

Not relevant

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

in the safety data sheet

Abbreviations and acronyms used ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC50: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

Classification abbreviations and

acronyms

Press. Gas (Liq.) = Gas under pressure: Liquefied gas

Key literature references and

sources for data

Source: European Chemicals Agency, http://echa.europa.eu/

This SDS is prepared based on the information and documents received from product owner. CRAD or/and SDS author shall not be responsible for incorrect preapared of SDS and pecuniary loss or intangible damages because of deficient or wrong information and documents which comes from product

owner.

Classification procedures according to SI 2019 No. 720 Press. Gas (Liq.) - H280: : Expert judgement., On basis of test data.

and Regulation (EC) No.

1272/2008

Training advice Read and follow manufacturer's recommendations. Only trained personnel should use this material.

Issued by Büsra TARAKCI / CRAD

gbf@crad.com.tr Tel+90 216 3354600

Revision date 01/12/2022

Revision 1.0

Supersedes date 01/12/2022

SDS number 13433



R410A

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

According to Regulation (EC) No 1907/2006, Annex II, as amended.

Hazard statements in full

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.